AUTHOR INDEX

Achhammer, B. G., Reiney, M. J., Wall, L. A., and Reinhart, F. W.: Study of degradation of polystyrene by means of mass spectrometry, 555

Alberty, Robert A.: Review. Chemistry and Biology of Proteins, 528

Alexander, P.: Letter to the Editors. Non-Newtonian viscosity of polymethacrylic acid, 446

Arcus, C. L.: The Hofmann reaction with polymethacrylamide, 365

Baker, W. O., Mason, W. P., and Heiss, J. H.: Mechanical properties of discrete polymer molecules, 129

Baysal, Bahattin, and Tobolsky, A. V.: Rates of initiation in vinyl polymerization, 529

Berry, James W.: see Marvel, C. S.

Beste, L. F., and Houtz, R. C.: Amide interchange reactions, 395

Biedermann, W.: see Lautsch, W.

Bonsall, E. P., Valentine, L., and Melville, H. W.: Studies in copolymerization. Kinetics of the copolymerization of styrene and *p*-methoxystyrene; *errata*, 127

Borzée, A.: see Smets, G.

Boyer, R. F.: A new molecular weight distribution technique for polystyrene. I. Theory, 73

Broser, W.: see Lautsch, W.

Browne, Alice R.: see Wiederhorn, Norman M.

Calvet, Edouard: Étude thermocinétique de l'adsorption. Cas des corps solubles et des substances macromoléculaires, 163

Cannepin, A., Champetier, G., et Parisot, A.: Propriétés Comparées des polyamides n-n′ et des polyamides 1-n, 35

Champetier, G.: see Cannepin, A.

Claesen, M.: see Smets, G.

Cleereman, K. J.: see Williams, J. L.

Colclough, R. O.: Study of the mechanism of ionic polymerization using radioactive tracers, 467

Corbière, J., Terra, P., et Paris, R.: Étude sur les phénomènes de dissolution du chlorure de polyvinyle, 101

Craig, David, Juve, A. E., Davidson, W. L., Semon, W. L., and Hay, D. C.: Copolymerization theory of the vulcanization of rubber. VI. Hydrogen sulfide effects and some self-limiting features, 321

Cripps, Harry N.: see Marvel, C. S.

Crozier, Robert N.: see Fitzhugh, Andrew F.

——: see Wheeler, O. L.

Davidson, W. L.: see Craig, David

DeWitt, T. W.: see Harper, Jr., R. C.

Doering, U.: see Lautsch, W.

Edgar, O. B., and Hill, R.: The *p*-phenylene linkage in linear high polymers: some structure-property relationships, 1

Eisenberg, H.: see Katchalsky, A.

Eisler, B., Farnsworth, S. D., Kendrick, E., Schnurmann, R., and Wassermann, A.: Catalytic conversion of a diene into deeply colored polymers, 157

Ernst, S. L.: see Wheeler, O. L.

Farnsworth, S. D.: see Eisler, B.

Fitzhugh, Andrew F., and Crozier, Robert N.: Relation of composition of polyvinyl acetals to their physical properties. I. Acetals of saturated aliphatic aldehydes, 225

Fukuto, T. R.: see Marvel, C. S.

Fuoss, Raymond M.: see Strauss, Ulrich P.

Gilbert, Richard D.: see Price, Charles C.

Ham, G. E., and Ringwald, E. L.: Crosslinking in the polymerization of vinyl benzoate and related compounds, 91

Harper, Jr., R. C., Markovitz, H., and DeWitt, T. W.: Dynamic studies on polymeric liquids, 435

Harris, Ivan: The number-average molecular weight of polythene, 353

Hauser, Ernst A.: see Sofer, George A.

Hay, D. C.: see Craig, David

Heikens, D.: see Hermans, P. H.

Heiss, J. H.: see Baker, W. O.

Hermans, P. H., and Heikens, D.: Correlation between sensitivity to acid hydrolysis and skin-core differentiations in viscose rayon, 187

Herrent, P.: Letter to the Editors. Polydispersité du polyacrylonitrile, 346

Hill, R.: see Edgar, O. B.

Hock, Charles W.: The fibrillate structure of natural cellulose, 425

Houtz, R. C.: see Beste, L. F.

Isihara, Akira: Letter to the Editors. Behavior of linear polymers in solution, 574

Izard, E. F.: The effect of chemical composition on selected physical properties of linear polymers, 503

Jellinek, H. H. G., and Spencer, L. B.: Letter to the Editors. Thermal degradation of polystyrene in solution, 573

Jirgensons, B.: Solubility and fractionation of polyvinylpyrrolidone, 519

Juve, A. E.: see Craig, David

Karam, H. J.: see Williams, J. L.

Katchalsky, A., Lifson, S., and Eisenberg, H.: Equation of swelling for polyelectrolyte gels; *errata*, 476

Kendrick, E.: see Eisler, B.
Kovacs, A.: Letter to the Editors. Sur la dilation cubique des polyamides amorphes, 350
Kraus, Gerald, and Manson, James E.: Adhesion of polyethylene and polystyrene to steel; *errata*, 448
Labbe, B. G.: see Marvel, C. S.
Laki, K., and Steiner, R.: Polymerization of iodinated fibrinogen, 457
——: see Steiner, R. F.
Landfield, H.: see Morton, M.
Landler, Y.: On ionic copolymerization, 63
Lautsch, W., Broser, W., Rothkegel, W., Biedermann, W., Doering, U., and Zoschke, H.: Some types of organic high polymers and permutoids provided with active groups: their synthesis, optical properties, and reactivity, 191
Legrand, C.: Nouvelle chambre de diffraction de rayons X pour les fibres, 337
Lifson, S.: see Katchalsky, A.
McLoughlin, J. R.: see Tobolsky, A. V.
Manson, James E.: see Kraus, Gerald
Markovitz, H.: see Harper, Jr., R. C.
Marvel, C. S., and Cripps, Harry N.: Polyalkylene sulfides. X. The reaction of hexamethylenedithiol with 1,3-butadiene, 313
——Fukuto, T. R., Berry, James W., Taft, W. K., and Labbe, B. G.: Some new butadiene copolymers, 599
——, and Wright, John C.: Vinyl-type polymers containing phosphorus, 495
——, and ——: Letter to the Editors. Some copolymers of dimethyl 1-propene-2-phosphonate and of 1-phenylvinylphosphonic acid, 255
Mason, W. P.: see Baker, W. O.
Matsumoto, M.: Letter to the Editors. Mechanism of the chain termination process, 657
Melville, H. W.: see Bonsall, E. P.
Merz, E. H.: Review. Plastics, Scientific and Technological; 528
Mochel, W. E.: Structure of neoprene. V. Viscosity–conversion relationships in sulfur-modified polychloroprenes, 583
Morton, M., Salatiello, P. P., and Landfield, H.: Absolute propagation rates in emulsion polymerization. I. Butadiene in mutual system, 111
——, ——, and ——: Absolute propagation rates in emulsion polymerization. II. Butadiene in hydroperoxide-polyamine systems, 215
——, ——, and ——: Absolute propagation rates in emulsion polymerization. III. Styrene and isoprene, 279
Münster, Arnold: Investigations on the system nitrocellulose–acetone, 633
Murphy, J., and Wassermann, A.: Letter to the Editors. A note on chain polymerization reactions, 123
Paris, R.: see Corbière, J.
Parisot, A.: see Cannepin, A.
Peterlin, A.: Effect of the velocity gradient on intrinsic viscosity of polymers in solution, 621
——: Statistics of linear macromolecules with a relatively short chain. IV. Molecular dimensions from viscosity and sedimentation, 173
Price, Charles C., and Gilbert, Richard D.: Copolymerization characteristics of fumaronitrile, 577
Reiney, M. J.: see Achhammer, B. G.
Reinhart, F. W.: see Achhammer, B. G.
Ringwald, E. L.: see Ham, G. E.
Rinn, H. W.: see Williams, J. L.
Rothkegel, W.: see Lautsch, W.
Salatiello, P. P.: see Morton, M.
Schnurmann, R.: see Eisler, B.
Semon, W. L.: see Craig, David
Smets, G., et Borzée, A.: Réactions de condensation de formaldéhyde et d'urée, 371
——, et Claesen, M.: Copolymères greffés, 289
Sofer, George A., and Hauser, Ernst A.: A new tool for determination of the stage of polymerization of thermosetting polymers, 611
Spencer, L. B.: see Jellinek, H. H. G.
Spicer, S.: see Steiner, R. F.
Steiner, R. F., Laki, K., and Spicer, S.: Light scattering studies on some muscle proteins, 23
——: see Laki, K.
Strauss, Ulrich P., and Fuoss, Raymond M.: Polyelectrolytes. X. Shear dependence of viscosity in aqueous solutions of poly-4-vinyl-*N*-*n*-butylpyridinium bromide, 593
Taft, W. K.: see Marvel, C. S.
Terayama, Hiroshi: Method of colloid titration (A new titration between polymer ions), 243
Terra, P.: see Corbière, J.
Thurmond, Carl D.: Control of dust in solutions for turbidimetry, 607
——, and Zimm, Bruno H.: Size and shape of the molecules in artificially branched polystyrene, 477
Tobolsky, A. V., and McLoughlin, J. R.: Elastoviscous properties of polyisobutylene. V. The transition region, 543
——: see Baysal, Bahattin
Tompa, H.: Statistical thermodynamics of solutions of low molecular weight polystyrenes, 51
Valentine, L.: see Bonsall, E. P.
Vaughan, M. F.: Letter to the Editors. Phthalyl peroxide as a polymerization initiator, 445
Wales, M., and Williams, J. W.: Effect of solvation on sedimentation experiments, 449
Wall, L. A.: see Achhammer, B. G.
Wassermann, A.: see Eisler, B.
——: see Murphy, J.
Wheeler, O. L., Ernst, S. L., and Crozier, R. N.: Molecular weight degradation of polyvinyl acetate on hydrolysis, 409
Wiederhorn, Norman M., and Browne, Alice R.: Letter to the Editors. Viscosity–molecular weight relation for polymethacrylic acid in methanol, 651

Williams, J. L., Cleereman, K. J., Karam, H. J., and Rinn, H. W.: Letter to the Editors. Orientation study of polystyrene monofilaments by means of x-ray and birefringence, 345
Williams, J. W.: see Wales, M.
Wright, John C.: see Marvel, C. S.
Zimm, Bruno H.: see Thurmond, Carl D.
Zoschke, H.: see Lautsch, W.

SUBJECT INDEX

Analytical Techniques, Physical

A new molecular weight distribution technique for polystyrene. I. Theory, R. F. Boyer, 73

Nouvelle chambre de diffraction de rayons X pour les fibres, C. Legrand, 337

A new tool for determination of the stage of polymerization of thermosetting polymers, G. A. Sofer and E. A. Hauser, 611

Cellulose and Cellulose Derivatives

Correlation between sensitivity to acid hydrolysis and skin-core differentiation in viscose rayon, P. H. Hermans and D. Heikens, 187

The fibrillate structure of natural cellulose, C. W. Hock, 425

Investigations on the system nitrocellulose–acetone, A. Münster, 633

Chemical Reactions of Polymers

The *p*-phenylene linkage in linear high polymers: some structure–property relationships, O. B. Edgar and R. Hill, 1

Catalytic conversion of a diene into deeply colored polymers, B. Eisler, S. D. Farnsworth, E. Kendrick, R. Schnurmann, and A. Wassermann, 157

Some types of organic high polymers and permutoids provided with active groups: their synthesis, optical properties and reactivity, W. Lautsch, W. Broser, W. Rothkegel, W. Biedermann, U. Doering, and H. Zoschke, 191

Polyalkylene sulfides. X. The reaction of hexamethylenedithiol with 1,3-butadiene, C. S. Marvel and Harry N. Cripps, 313

The Hofmann reaction with polymethacrylamide, C. L. Arcus, 365

Amide interchange reactions, L. F. Beste and R. C. Houtz, 395

Copolymerization (see also *Polymerization*)

Some copolymers of dimethyl 1-propene-2-phosphonate and of 1-phenylvinylphosphonic acid, C. S. Marvel and John C. Wright, 255

Absolute propagation rates in emulsion polymerization. III. Styrene and isoprene, Maurice Morton, P. P. Salatiello, and H. Landfield, 279

Copolymères greffés, G. Smets et M. Claesen, 289

Copolymerization theory of the vulcanization of rubber. VI. Hydrogen sulfide effects and some self-limiting features, David Craig, A. E. Juve, W. L. Davidson, W. L. Semon, and D. C. Hay, 321

Copolymerization characteristics of fumaronitrile, C. C. Price and R. D. Gilbert, 577

Degradation

Molecular weight degradation of polyvinyl acetate on hydrolysis, O. L. Wheeler, S. L. Ernst, and R. N. Crozier, 409

Study of degradation of polystyrene by means of mass spectrometry, B. G. Achhammer, M. J. Reiney, L. A. Wall, and F. W. Reinhart, 555

Thermal degradation of polystyrene in solution, H. H. G. Jellinek and L. B. Spencer, 573

Fibers

Correlation between sensitivity to acid hydrolysis and skin-core differentiation in viscose rayon, P. H. Hermans and D. Heikens, 187

Nouvelle chambre de diffraction de rayons X pour les fibres, C. Legrand, 337

The fibrillate structure of natural cellulose, Charles W. Hock, 425

Light Scattering

Light scattering studies on some muscle proteins, R. F. Steiner, K. Laki, and S. Spicer, 23

Polymerization of iodinated fibrinogen, K. Laki and R. Steiner, 457

Size and shape of the molecules in artificially branched polystyrene, Carl D. Thurmond and Bruno H. Zimm, 477

Control of dust in solutions for turbidimetry, Carl D. Thurmond, 607

Mechanical Properties and the Solid State

Propriétés comparées des polyamides n-n′ et des polyamides 1-n, A. Cannepin, G. Champetier, et A. Parisot, 35

Cross-linking in the polymerization of vinyl benzoate and related compounds, G. E. Ham and E. L. Ringwald, 91

Mechanical properties of discrete polymer molecules, W. O. Baker, W. P. Mason, and J. H. Heiss, 129

Relation of composition of polyvinyl acetals to their physical properties. I. Acetals of saturated aliphatic aldehydes, Andrew F. Fitzhugh and Robert N. Crozier, 225
Adhesion of polyethylene and polystyrene to steel, Gerard Kraus and James E. Manson. (*Errata*, article in *J. Polymer Sci.*, **6**, 625, 1951), 448
Elastoviscous properties of polyisobutylene. V. The transition region, A. V. Tobolsky and J. R. McLoughlin, 543
A new tool for determination of the stage of polymerization of thermosetting polymers, George A. Sofer and E. A. Hauser, 611

Molecular Structure and Shape

The *p*-phenylene linkage in linear high polymers: some structure–property relationships, O. B. Edgar and R. Hill, 1
Mechanical properties of discrete polymer molecules, W. O. Baker, W. P. Mason, and J. H. Heiss, 129
Size and shape of the molecules in artificially branched polystyrene, Carl D. Thurmond and Bruno H. Zimm, 477
Structure of neoprene. V. Viscosity–conversion relationships in sulfur-modified polychloroprenes, W. E. Mochel, 583

Molecular Weight and Molecular Weight Distribution

A new molecular weight distribution technique for polystyrene. I. Theory, R. F. Boyer, 73
Polydispersité du polyacrylonitrile, P. Herrent, 346
The number-average molecular weight of polythene, Ivan Harris, 353
Molecular weight degradation of polyvinyl acetate on hydrolysis, O. L. Wheeler, S. L. Ernst, and R. N. Crozier, 409
Solubility and fractionation of polyvinylpyrrolidone, B. Jirgensons, 519
Viscosity–molecular weight relation for polymethacrylic acid in methanol, N. M. Wiederhorn and Alice R. Browne, 651

Osmotic Pressure

The number-average molecular weight of polythene, Ivan Harris, 353
Investigations on the system nitrocellulose–acetone, Arnold Münster, 633

Physical Properties

Propriétés comparées des polyamides n-n′ et des polyamides 1-n, A. Cannepin, G. Champetier, et A. Parisot, 35
Étude thermocinétique de l'adsorption. Cas des corps solubles et des substances macromoléculaires, Edouard Calvet, 163
Relation of composition of polyvinyl acetals to their physical properties. I. Acetals of saturated aliphatic aldehydes, Andrew F. Fitzhugh and Robert N. Crozier, 225
Orientation study of polystyrene monofilaments by means of x-ray and birefringence, J. L. Williams, K. J. Cleereman, H. J. Karam, and H. W. Rinn, 345
Sur la dilatation cubique des polyamides amorphes, A. Kovacs, 350
Adhesion of polyethylene and polystyrene to steel, Gerard Kraus and James E. Manson. (*Errata*, article in *J. Polymer Sci.*, **6**, 625, 1951), 448
The effect of chemical composition on selected physical properties of linear polymers, E. F. Izard, 503

Polyelectrolytes

Method of colloid titration (A new titration between polymer ions), Hiroshi Terayama, 243
Phthalyl peroxide as a polymerization initiator, M. F. Vaughan, 445
Equation of swelling of polyelectrolyte gel, A. Katchalsky, S. Lifson, and H. Eisenberg. (*Errata*, article in *J. Polymer Sci.*, **7**, 571–574, 1951), 476
Polyectrolytes. X. Shear dependence of viscosity in aqueous solutions of poly-4-vinyl-*N*-*n*-butylpyridinium bromide, U. P. Strauss and R. M. Fuoss, 593
Viscosity–molecular weight relation for polymethacrylic acid in methanol, N. M. Wiederhorn and Alice R. Browne, 651

Polymers, New

Some types of organic high polymers and permutoids provided with active groups: their synthesis, optical properties, and reactivity, W. Lautsch, W. Broser, W. Rothkegel, W. Biedermann, U. Doering, and H. Zoschke, 191
Copolymères greffés, G. Smets et M. Claesen, 289
Vinyl-type polymers containing phosphorus, C. S. Marvel and John C. Wright, 495
Some new butadiene copolymers, C. S. Marvel, T. R. Fukuto, James W. Berry, W. K. Taft, and B. G. Labbe, 599

Polymerization, Addition

Réactions de condensation de formaldéhyde et d'urée, G. Smets et A. Borzée, 371

Polymerization, Catalysts and Mechanisms (see also *Copolymerization* and *Polymers, New*)

On ionic copolymerization, Y. Landler, 63
Absolute propagation rates in emulsion polymerization. I. Butadiene in mutual system, M. Morton, P. P. Salatiello, and H. Landfield, 111
A note on chain polymerization reactions, J. Murphy and A. Wassermann, 123
Studies in copolymerization. Kinetics of the copolymerization of styrene and *p*-methoxystyrene, E. P. Bonsall, L. Valentine, and H. W. Melville. (*Errata*, article in *J. Polymer Sci.*, 7, 39–55, 1951), 127
Absolute propagation rates in emulsion polymerization. II. Butadiene in hydroperoxide–polyamine systems, M. Morton, P. P. Salatiello, and H. Landfield, 215
Absolute propagation rates in emulsion polymerization. III. Styrene and isoprene, M. Morton, P. P. Salatiello, and H. Landfield, 279
Copolymères greffés, G. Smets et M. Claesen, 289
Phthalyl peroxide as a polymerization initiator, M. F. Vaughan, 445
Study of the mechanism of ionic polymerization using radioactive tracers, R. O. Colclough, 467
Rates of initiation in vinyl polymerization, Bahattin Baysal and A. V. Tobolsky, 529
Mechanism of chain termination process, M. Matsumoto, 657

Polymer News

Symposium on molecular structure and spectroscopy, 126
Report on nomenclature in the field of macromolecules, International Union of Pure and Applied Chemistry, 257
Conference on cationic polymerization and related problems, 288
Symposium on interaction of radiation with macromolecules, 444

Proteins

Light scattering studies on some muscle proteins, R. F. Steiner, K. Laki, and S. Spicer, 23
Polymerization of iodinated fibrinogen, K. Laki and R. Steiner, 457

Reviews

Plastics, scientific and technological, E. H. Merz, 528
Chemistry and biology of proteins, Robert A. Alberty, 528

Rubbers

Absolute propagation rates in emulsion polymerization. I. Butadiene in mutual system, M. Morton, P. P. Salatiello, and H. Landfield, 111
Absolute propagation rates in emulsion polymerization. II. Butadiene in hydroperoxide–polyamine systems, M. Morton, P. P. Salatiello, and H. Landfield, 215

Solutions and Solution Properties

Statistical thermodynamics of solutions of low molecular weight polystyrenes, H. Tompa, 51
Étude sur les phénoménes de dissolution du chlorure de polyvinyle, J. Corbière, P. Terra et R. Paris, 101
Mechanical properties of discrete polymer molecules, W. O. Baker, W. P. Mason, and J. H. Heiss, 129
Statistics of linear macromolecules with a relatively short chain. IV. Molecular dimensions from viscosity and sedimentation, A. Peterlin, 173
Effect of solvation on sedimentation experiments, M. Wales and J. W. Williams, 449
Size and shape of the molecules in artificially branched polystyrene, Carl D. Thurmond and Bruno H. Zimm, 477
Solubility and fractionation of polyvinylpyrrolidone, B. Jirgensons, 519

Thermodynamics and Statistics

Statistical thermodynamics of solutions of low molecular weight polystyrenes, H. Tompa, 51
Étude thermocinétique de l'adsorption. Cas des corps solubles et des substances macromoléculaires, Edouard Calvet, 163
Behavior of linear polymers in solution, Akira Isihara, 574

Viscosity

Statistics of linear macromolecules with a relatively short chain. IV. Molecular dimensions from viscosity and sedimentation, A. Peterlin, 173
Dynamic studies on polymeric liquids, R. C. Harper, Jr., H. Markovitz, and T. W. DeWitt, 435
Phthalyl peroxide as a polymerization initiator, M. F. Vaughan, 445
Non-Newtonian viscosity of polymethacrylic acid, P. Alexander, 446
Structure of neoprene. V. Viscosity–conversion relationships in sulfur-modified polychloroprenes, W. E. Mochel, 583
Polyelectrolytes. X. Shear dependence of viscosity in aqueous solutions of poly-4-vinyl-*N*-*n*-butylpyridinium bromide, U. P. Strauss and R. M. Fuoss, 593
Effect of the velocity gradient on intrinsic viscosity of polymers in solution, A. Peterlin, 621

Vulcanization and Cross-Linking

The *p*-phenylene linkage in linear high polymers: some structure–property relationships, O. B. Edgar and R. Hill, 1

Cross-linking in the polymerization of vinyl benzoate and related compounds, G. E. Ham and E. L. Ringwald, 91

Copolymerization theory of the vulcanization of rubber. VI. Hydrogen sulfide effects and some self-limiting features, David Craig, A. E. Juve, W. L. Davidson, W. L. Semon, and D. C. Hay, 321

Structure of neoprene. V. Viscosity–conversion relationships in sulfur-modified polychloroprenes, W. E. Mochel, 583

X-Ray Investigations

Orientation study of polystyrene monofilaments by means of x-ray and birefringence, J. L. Williams, K. J. Cleereman, H. J. Karam, and H. W. Rinn, 345

Journal of

POLYMER SCIENCE

VOLUME VIII • 1952

Editorial Board: W. T. ASTBURY • P. M. DOTY • H. MARK

Advisory Board:

P. D. BARTLETT *Cambridge, Mass.*	C. S. FULLER *Summit, N. J.*	H. W. MELVILLE *Birmingham*
C. W. BUNN *Welwyn Garden City*	MILTON HARRIS *Washington, D. C.*	K. H. MEYER *Geneva*
S. CLAESSON *Uppsala*	J. J. HERMANS *Groningen*	G. NATTA *Milan*
P. DEBYE *Ithaca, N. Y.*	P. H. HERMANS *Utrecht*	C. C. PRICE *Notre Dame, Ind.*
V. DESREUX *Liége*	R. HOUWINK *Delft*	E. K. RIDEAL *London*
A. DOBRY *Paris*	M. L. HUGGINS *Rochester, N. Y.*	CH. SADRON *Strasbourg*
M. G. EVANS *Manchester*	I. M. KOLTHOFF *Minneapolis, Minn.*	R. SIGNER *Berne*
E. H. FARMER *Welwyn Garden City*	O. KRATKY *Graz*	G. SMETS *Louvain*
P. J. FLORY *Ithaca, N. Y.*	W. KUHN *Basel*	H. M. SPURLIN *Wilmington, Del.*
R. M. FUOSS *New Haven, Conn.*	M. MAGAT *Paris*	J. C. SWALLOW *Welwyn Garden City*
K. FREUDENBERG *Heidelberg*	C. S. MARVEL *Urbana, Ill.*	G. S. WHITBY *Akron, Ohio*

INTERSCIENCE PUBLISHERS, INC.

Copyright, 1952, by Interscience Publishers, Inc.

CONTENTS

Vol. VIII, Nos. 1–6, 1952

Journal of Polymer Science

Number 1, January

Edgar, O. B., and Hill, R.: The *p*-Phenylene Linkage in Linear High Polymers: Some Structure-Property Relationships..... 1

Steiner, R. F., Laki, K., and Spicer, S.: Light Scattering Studies on Some Muscle Proteins..... 23

Cannepin, A., Champetier, G., et Parisot, A.: Propriétés Comparées des Polyamides n-n′ et des Polyamides 1-n..... 35

Tompa, H.: Statistical Thermodynamics of Solutions of Low Molecular Weight Polystyrenes..... 51

Landler, Y.: On Ionic Copolymerization..... 63

Boyer, R. F.: A New Molecular Weight Distribution Technique for Polystyrene. I. Theory..... 73

Ham, G. E., and Ringwald, E. L.: Cross-Linking in the Polymerization of Vinyl Benzoate and Related Compounds..... 91

Corbière, J., Terra, P., and Paris, R.: Étude sur les Phénomènes de Dissolution du Chlorure de Polyvinyle..... 101

Morton, M., Salatiello, P. P., and Landfield, H.: Absolute Propagation Rates in Emulsion Polymerization. I. Butadiene in Mutual System..... 111

Murphy, J., and Wassermann, A.: A Note on Chain Polymerization Reactions (Letter to the Editors)..... 123

News..... 126

Bonsall, E. P., Valentine, L., and Melville, H. W.: Studies in Copolymerization. Kinetics of the Copolymerization of Styrene and *p*-Methoxystyrene (Errata, article in *J. Polymer Sci.*, 7, 39–55, 1951)..... 127

Number 2, February

Baker, W. O., Mason, W. P., and Heiss, J. H.: Mechanical Properties of Discrete Polymer Molecules..... 129

Eisler, B., Farnsworth, S. D., Kendrick, E., Schnurmann, R., and Wassermann, A.: Catalytic Conversion of a Diene into Deeply Colored Polymers..... 157

Calvet, Edouard: Étude thermocinétique de l'adsorption. Cas des corps solubles et des substances macromoléculaires..... 163

Peterlin, A.: Statistics of Linear Macromolecules with a Relatively Short Chain. IV. Molecular Dimensions from Viscosity and Sedimentation..... 173

Hermans, P. H., and Heikens, D.: Correlation between Sensitivity to Acid Hydrolysis and Skin-Core Differentiation in Viscose Rayon..... 187

LAUTSCH, W., BROSER, W., ROTHKEGEL, W., BIEDERMANN, W, DOERING, U., and ZOSCHKE, H.: Some Types of Organic High Polymers and Permutoids Provided with Active Groups: Their Synthesis, Optical Properties, and Reactivity 191
MORTON, MAURICE, SALATIELLO, P. P., and LANDFIELD, H.: Absolute Propagation Rates in Emulsion Polymerization. II. Butadiene in Hydroperoxide-Polyamine Systems 215
FITZHUGH, ANDREW F., and CROZIER, ROBERT N.: Relation of Composition of Polyvinyl Acetals to Their Physical Properties. I. Acetals of Saturated Aliphatic Aldehydes 225
TERAYAMA, HIROSHI: Method of Colloid Titration (A New Titration between Polymer Ions) 243
MARVEL, C. S., and WRIGHT, JOHN C.: Some Copolymers of Dimethyl 1-Propene-2-phosphonate and of 1-Phenylvinylphosphonic Acid (Letter to the Editors) 255

NUMBER 3, MARCH

INTERNATIONAL UNION OF PURE AND APPLIED CHEMISTRY: Report on Nomenclature in the Field of Macromolecules 257
MORTON, MAURICE, SALATIELLO, P. P., and LANDFIELD, H.: Absolute Propagation Rates in Emulsion Polymerization. III. Styrene and Isoprene 279
POLYMER NEWS 288
SMETS, G., et CLAESEN, M.: Copolymères Greffés 289
MARVEL, C. S., and CRIPPS, HARRY N.: Polyalkylene Sulfides. X. The Reaction of Hexamethylenedithiol with 1,3-Butadiene 313
CRAIG, DAVID, JUVE, A. E., DAVIDSON, W. L., SEMON, W. L., and HAY, D. C.: Copolymerization Theory of the Vulcanization of Rubber. VI. Hydrogen Sulfide Effects and Some Self-Limiting Features 321
LEGRAND, C.: Nouvelle Chambre de Diffraction de Rayons X Pour les Fibres 337
WILLIAMS, J. L., CLEEREMAN, K. J., KARAM, H. J., and RINN, H. W.: Orientation Study of Polystyrene Monofilaments by Means of X-ray and Birefringence (Letter to the Editors) 345
HERRENT, P.: Polydispersité du Polyacrylonitrile (Letter to the Editors) 346
KOVACS, A.: Sur la Dilatation Cubique des Polyamides Amorphes (Letter to the Editors) 350

NUMBER 4, APRIL

HARRIS, IVAN: The Number-Average Molecular Weight of Polythene 353
ARCUS, C. L.: The Hofmann Reaction with Polymethacrylamide 365
SMETS, G., et BORZÉE, A.: Réactions de Condensation de Formaldéhyde et d'Urée 371
BESTE, L. F., and HOUTZ, R. C.: Amide Interchange Reactions 395
WHEELER, O. L., ERNST, S. L., and CROZIER, R. N.: Molecular Weight Degradation of Polyvinyl Acetate on Hydrolysis 409
HOCK, CHARLES W.: The Fibrillate Structure of Natural Cellulose 425
HARPER, JR., R. C., MARKOVITZ, H., and DEWITT, T. W.: Dynamic Studies on Polymeric Liquids 435
POLYMER NEWS 444

VAUGHAN, M. F.: Phthalyl Peroxide as a Polymerization Initiator (Letter to the Editors) 445
ALEXANDER, P.: Non-Newtonian Viscosity of Polymethacrylic Acid (Letter to the Editors) 446
KRAUS, GERALD, and MANSON, JAMES E.: Adhesion of Polyethylene and Polystyrene to Steel (Errata, article in *J. Polymer Sci.*, 6, 625, 1951) 448

NUMBER 5, MAY

WALES, M., and WILLIAMS, J. W.: Effect of Solvation on Sedimentation Experiments 449
LAKI, K., and STEINER, R. Polymerization of Iodinated Fibrinogen .. 457
COLCLOUGH, R. O.: Study of the Mechanism of Ionic Polymerization Using Radioactive Tracers 467
KATCHALSKY, A., LIFSON, S., and EISENBERG, H.: Equation of Swelling for Polyelectrolyte Gels (Errata, article in *J. Polymer Sci.*, 7, 571–574, 1951) 476
THURMOND, CARL D., and ZIMM, BRUNO, H.: Size and Shape of the Molecules in Artificially Branched Polystyrene 477
MARVEL, C. S., and WRIGHT, JOHN C.: Vinyl-Type Polymers Containing Phosphorus 495
IZARD, E. F.: The Effect of Chemical Composition on Selected Physical Properties of Linear Polymers 503
JIRGENSONS, B.: Solubility and Fractionation of Polyvinylpyrrolidone 519
REVIEWS 528
BAYSAL, BAHATTIN, and TOBOLSKY, A. V.: Rates of Initiation in Vinyl Polymerization 529
TOBOLSKY, A. V., and MCLOUGHLIN, J. R.: Elastoviscous Properties of Polyisobutylene. V. The Transition Region 543
ACHHAMMER, B. G., REINEY, M. J., WALL, L. A., and REINHART, F. W.: Study of Degradation of Polystyrene by Means of Mass Spectrometry 555
JELLINEK, H. H. G., and SPENCER, L. B.: Thermal Degradation of Polystyrene in Solution (Letter to the Editors) 573
ISIHARA, AKIRA: Behavior of Linear Polymers in Solution (Letter to the Editors) 574

NUMBER 6, JUNE

PRICE, CHARLES C., and GILBERT, RICHARD D.: Copolymerization Characteristics of Fumaronitrile 577
MOCHEL, W. E.: Structure of Neoprene. V. Viscosity–Conversion Relationships in Sulfur-Modified Polychloroprenes 583
STRAUSS, ULRICH P., and FUOSS, RAYMOND M.: Polyelectrolytes. X. Shear Dependence of Viscosity in Aqueous Solutions of Poly-4-vinyl-*N*-*n*-butylpyridinium Bromide 593
MARVEL, C. S., FUKUTO, T. R., BERRY, JAMES W., TAFT, W. K., and LABBE, B. G.: Some New Butadiene Copolymers 599
THURMOND, CARL D.: Control of Dust in Solutions for Turbidimetry 607
SOFER, GEORGE A., and HAUSER, ERNST A.: A New Tool for Determination of the Stage of Polymerization of Thermosetting Polymers 611

PETERLIN, A.: Effect of the Velocity Gradient on Intrinsic Viscosity of Polymers in Solution 621
MÜNSTER, ARNOLD: Investigations on the System Nitrocellulose-Acetone 633
WIEDERHORN, NORMAN M., and BROWNE, ALICE R.: Viscosity–Molecular Weight Relation for Polymethacrylic Acid in Methanol (Letter to the Editors) 651
MATSUMOTO, M.: Mechanism of the Chain Termination Process (Letter to the Editors) 657